AUTHOR INDEX

Aschenbach, B., Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Barbee, Troy W., X-ray and extreme ultraviolet imaging using layered synthetic microstructures, 79
Berland, M., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Bräuninger, H., Fabrication of transmission gratings for use in x-ray astronomy, 128
———, High resolution x-ray scattering measurements, 174
———, Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Brown, W. A., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Burek, A., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Catura, R. C., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Ceglio, N. M., Space and time resolved soft x-ray spectra using x-ray transmission gratings, 134
Chase, R. C., Grazing incidence relay optics, 74
Chen, Chungte W., Use of phase measuring interferometry for surface characterization, 9
Davis, J. M., Grazing incidence relay optics, 74
Dhez, P., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Donaldson, R. R., Diamond machining and mechanical inspection of optical components, 32
Elvis, Martin, Extra-solar astronomy with a 2.4 m normal incidence x-ray telescope at 0.1 arcsec resolution, 144
Estava, J. M., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Feder, R., Status report on contact x-ray microscopy, 56
Franks, A., Conference Summary—High resolution soft x-ray optics, 211
Gauthé, B., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Geril, Norman, Automated cylindrical polishing of grazing incidence x-ray mirrors, 22
Golub, L., Solar corona at high resolution, 149
Gutcheck, Robert A., Intense plasma source for x-ray microscopy, 196
Harris, W., Short wavelength interferometric testing of x-ray optics, 16
Hawryluk, A. M., Space and time resolved soft x-ray spectra using x-ray transmission gratings, 134
Henry, J. Patrick, Imaging performance of a normal incidence x-ray telescope measured at 0.18 keV, 166
Joki, E. G., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Jones, Robert A., Automated cylindrical polishing of grazing incidence x-ray mirrors, 22
Karnatak, R. C., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Kirz, Janos, Optical performance of apodized zone plates, 120
Kraus, H., Fabrication of transmission gratings for use in x-ray astronomy, 128
Krieger, A. S., Grazing incidence relay optics, 74
LaViia, R. E., Reflectivity and resolution measurements of metallic multilayers, beryl, potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Lovas, I., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Makosch, G., Surface profiling by electro-optical phase measurements, 42
Maymon, Peter W., Use of phase measuring interferometry for surface characterization, 9
Mrowka, S., Short wavelength interferometric testing of x-ray optics, 16
Muray, Julius J., Intense plasma source for x-ray microscopy, 196
Niemann, B., Status of the scanning x-ray microscope, 106
———, Status of the sputtered sliced zone plates for x-ray microscopy, 103
———, Status of the zone plate microscope, 100
Nobles, R. A., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Ondrusch, Axel, High resolution x-ray scattering measurements, 174
———, Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Paradies, Hasko H., Low angle x-ray scattering of chloroplast with CKα-radiation, 62
Patterson, S. R., Diamond machining and mechanical inspection of optical components, 32
Predehl, P., Fabrication of transmission gratings for use in x-ray astronomy, 128
———, High resolution x-ray scattering measurements, 174
———, Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Price, R. H., Space and time resolved soft x-ray spectra using x-ray transmission gratings, 134
Rarback, Harvey, Optical performance of apodized zone plates, 120
Rosner, R., Solar corona at high resolution, 149
Rudolph, D., Status of the scanning x-ray microscope, 106
———, Status of the sputtered sliced zone plates for x-ray microscopy, 103
———, Status of the zone plate microscope, 100
Santy, W., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Sayre, D., Status report on contact x-ray microscopy, 56
Schmahl, G., Status of the scanning x-ray microscope, 106
———, Status of the sputtered sliced zone plates for x-ray microscopy, 103
———, Status of the zone plate microscope, 100
Shealey, David L., X-ray and extreme ultraviolet imaging using layered synthetic microstructures, 79
Solf, B., Surface profiling by electro-optical phase measurements, 42
Speer, R. J., Short wavelength interferometric testing of x-ray optics, 16
Spiller, E., Design and assembly of a high resolution Schwarzschild microscope for soft x rays, 90
———, Imaging performance of a normal incidence x-ray telescope measured at 0.18 keV, 166
Stedman, M., Metrological evaluation of grazing incidence mirrors, 2
Stephan, K. H., Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
Thompson, D. C., Diamond machining and mechanical inspection of optical components, 32
Tibbetts, R., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Trümper, J., Fabrication of transmission gratings for use in x-ray astronomy, 128
Underwood, J. H., Grazing incidence relay optics, 74
———, X-ray and extreme ultraviolet imaging using layered synthetic microstructures, 79
Vaiana, G. S., Solar corona at high resolution, 149
Warlaumont, John M., Status of microstructure fabrication, 109
Weisskopf, Martin, Imaging performance of a normal incidence x-ray telescope measured at 0.18 keV, 166
Wilczynski, J., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Zombeck, Martin V., High resolution x-ray scattering measurements, 174
———, Solar corona at high resolution, 149

AUTHOR INDEX

Aschenbach, B., Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Barbee, Troy W., X-ray and extreme ultraviolet imaging using layered synthetic microstructures, 79
Berland, M., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Bräuninger, H., Fabrication of transmission gratings for use in x-ray astronomy, 128
———, High resolution x-ray scattering measurements, 174
———, Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Brown, W. A., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Burek, A., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Catura, R. C., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Ceglio, N. M., Space and time resolved soft x-ray spectra using x-ray transmission gratings, 134
Chase, R. C., Grazing incidence relay optics, 74
Chen, Chungte W., Use of phase measuring interferometry for surface characterization, 9
Davis, J. M., Grazing incidence relay optics, 74
Dhez, P., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Donaldson, R. R., Diamond machining and mechanical inspection of optical components, 32
Elvis, Martin, Extra-solar astronomy with a 2.4 m normal incidence x-ray telescope at 0.1 arcsec resolution, 144
Estava, J. M., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Feder, R., Status report on contact x-ray microscopy, 56
Franks, A., Conference Summary—High resolution soft x-ray optics, 211
Gauthé, B., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Geril, Norman, Automated cylindrical polishing of grazing incidence x-ray mirrors, 22
Golub, L., Solar corona at high resolution, 149
Gutcheck, Robert A., Intense plasma source for x-ray microscopy, 196
Harris, W., Short wavelength interferometric testing of x-ray optics, 16
Hawryluk, A. M., Space and time resolved soft x-ray spectra using x-ray transmission gratings, 134
Henry, J. Patrick, Imaging performance of a normal incidence x-ray telescope measured at 0.18 keV, 166
Joki, E. G., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Jones, Robert A., Automated cylindrical polishing of grazing incidence x-ray mirrors, 22
Karnatak, R. C., Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Kirz, Janos, Optical performance of apodized zone plates, 120
Kraus, H., Fabrication of transmission gratings for use in x-ray astronomy, 128
Krieger, A. S., Grazing incidence relay optics, 74
LaViia, R. E., Reflectivity and resolution measurements of metallic multilayers, beryl, potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Lovas, I., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Makosch, G., Surface profiling by electro-optical phase measurements, 42
Maymon, Peter W., Use of phase measuring interferometry for surface characterization, 9
Mrowka, S., Short wavelength interferometric testing of x-ray optics, 16
Muray, Julius J., Intense plasma source for x-ray microscopy, 196
Niemann, B., Status of the scanning x-ray microscope, 106
———, Status of the sputtered sliced zone plates for x-ray microscopy, 103
———, Status of the zone plate microscope, 100
Nobles, R. A., Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
Ondrusch, Axel, High resolution x-ray scattering measurements, 174
———, Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Paradies, Hasko H., Low angle x-ray scattering of chloroplast with CKα-radiation, 62
Patterson, S. R., Diamond machining and mechanical inspection of optical components, 32
Predehl, P., Fabrication of transmission gratings for use in x-ray astronomy, 128
———, High resolution x-ray scattering measurements, 174
———, Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
———, X-ray scattering of superpolished flat mirror samples, 187
Price, R. H., Space and time resolved soft x-ray spectra using x-ray transmission gratings, 134
Rarback, Harvey, Optical performance of apodized zone plates, 120
Rosner, R., Solar corona at high resolution, 149
Rudolph, D., Status of the scanning x-ray microscope, 106
———, Status of the sputtered sliced zone plates for x-ray microscopy, 103
———, Status of the zone plate microscope, 100
Santy, W., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Sayre, D., Status report on contact x-ray microscopy, 56
Schmahl, G., Status of the scanning x-ray microscope, 106
———, Status of the sputtered sliced zone plates for x-ray microscopy, 103
———, Status of the zone plate microscope, 100
Shealey, David L., X-ray and extreme ultraviolet imaging using layered synthetic microstructures, 79
Solf, B., Surface profiling by electro-optical phase measurements, 42
Speer, R. J., Short wavelength interferometric testing of x-ray optics, 16
Spiller, E., Design and assembly of a high resolution Schwarzschild microscope for soft x rays, 90
———, Imaging performance of a normal incidence x-ray telescope measured at 0.18 keV, 166
Stedman, M., Metrological evaluation of grazing incidence mirrors, 2
Stephan, K. H., Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
Thompson, D. C., Diamond machining and mechanical inspection of optical components, 32
Tibbetts, R., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Trümper, J., Fabrication of transmission gratings for use in x-ray astronomy, 128
Underwood, J. H., Grazing incidence relay optics, 74
———, X-ray and extreme ultraviolet imaging using layered synthetic microstructures, 79
Vaiana, G. S., Solar corona at high resolution, 149
Warlaumont, John M., Status of microstructure fabrication, 109
Weisskopf, Martin, Imaging performance of a normal incidence x-ray telescope measured at 0.18 keV, 166
Wilczynski, J., Design and assembly of a high resolution Schwarzschild microscope for soft x-rays, 90
Zombeck, Martin V., High resolution x-ray scattering measurements, 174
———, Solar corona at high resolution, 149

SUBJECT INDEX

Apodized zone plates, optical performance of, 120
Astronomy, fabrication of transmission gratings for use in x-ray, 128
Astronomy with a 2.4 m normal incidence x-ray telescope at 0.1 arcsec resolution, extra-solar, 144
Automated cylindrical polishing of grazing incidence x-ray mirrors, 22

Beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, reflectivity and resolution measurements of metallic multilayers, 169

Calculated performance of a Wolter Type I x-ray telescope coated by multilayers, 157
CKα-radiation, low angle x-ray scattering of chloroplast with, 62
Chloroplast with CKα-radiation, low angle x-ray scattering of, 62
Conference Summary—High resolution soft x-ray optics, 211
Corona at high resolution, solar, 149

Design and assembly of a high resolution Schwarzschild microscope for soft x rays, 90
Diamond machining and mechanical inspection of optical components, 32

Electro-optical phase measurements, surface profiling by, 42
Extra-solar astronomy with a 2.4 m normal incidence x-ray telescope at 0.1 arcsec resolution, 144
Extreme ultraviolet imaging using layered synthetic microstructures, x-ray and, 79

Fabrication of transmission gratings for use in x-ray astronomy, 128
Fabrication, status of microstructure, 109
Flat mirror samples, x-ray scattering of superpolished, 187

Gratings, space and time resolved soft x-ray spectra using x-ray transmission, 134
Gratings for use in x-ray astronomy, fabrication of transmission, 128
Grazing incidence mirrors, metrological evaluation of, 2
Grazing incidence relay optics, 74
Grazing incidence x-ray mirrors, automated cylindrical polishing of, 22

High resolution Schwarzschild microscope for soft x rays, design and assembly of a, 90
High resolution soft x-ray optics, Conference Summary—, 211
High resolution, solar corona at, 149
High resolution x-ray scattering measurements, 174

Imaging performance of a normal incidence x-ray telescope measured at 0.18 keV, 166
Imaging using layered synthetic microstructures, x-ray and extreme ultraviolet, 79
Inspection of optical components, diamond machining and mechanical, 32
Intense plasma source for x-ray microscopy, 196
Interferometric testing of x-ray optics, short wavelength, 16
Interferometry for surface characterization, use of phase measuring, 9

(KAP) with synchrotron radiation in the 1 keV region, reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate, 169

Long beam (130 m) test facility, soft x-ray sources for the Max-Planck-Institut (MPI), 203
Low angle x-ray scattering of chloroplast with CKα-radiation, 62

Max-Planck-Institut (MPI) long beam (130 m) test facility, soft x-ray sources for the, 203
Metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, reflectivity and resolution measurements of, 169
Metrological evaluation of grazing incidence mirrors, 2
Microscope for soft x rays, design and assembly of a high resolution Schwarzschild, 90
Microscope, status of the scanning x-ray, 106
Microscope, status of the zone plate, 100
Microscopy, intense plasma source for x-ray, 196
Microscopy, status report on contact x-ray, 56
Microscopy, status of the sputtered sliced zone plates for x-ray, 103
Microstructure fabrication, status of, 109
Microstructures, x-ray and extreme ultraviolet imaging using layered synthetic, 79
Mirror samples, x-ray scattering of superpolished flat, 187
Mirrors, automated cylindrical polishing of grazing incidence x-ray, 22
Mirrors, metrological evaluation of grazing incidence, 2
Multilayers, calculated performance of a Wolter Type I x-ray telescope coated by, 157
0.1 arcsec resolution, extra-solar astronomy with a 2.4 m normal incidence x-ray telescope at, 144

Optical components, diamond machining and mechanical inspection of, 32
Optical performance of apodized zones plates, 120
Optics, Conference Summary—High resolution soft x-ray, 211
Optics, grazing incidence relay, 74
Optics, short wavelength interferometric testing of x-ray, 16

Phase measurements, surface profiling by electro-optical, 42
Phase measuring interferometry for surface characterization, use of, 9
Plasma source for x-ray microscopy, intense, 196
Polishing of grazing incidence x-ray mirrors, automated cylindrical, 22
Potassium acid phthalate (KAP) with synchrotron radiation in the 1keV region, reflectivity and resolution measurements of metallic multilayers, beryl, and, 169
Profiling by electro-optical phase measurements, surface, 42

Radiation in the 1 keV region, reflectivity and resolution measurements of metallic multilayers, beryl, and potassium phthalate (KAP) with synchrotron, 169
Reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, 169
Relay optics, grazing incidence, 74
Resolution, extra-solar astronomy with a 2.4 m normal incidence x-ray telescope at 0.1 arcsec, 144
Resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with synchrotron radiation in the 1 keV region, reflectivity and, 169

Scanning x-ray microscope, status of the, 106
Scattering of chloroplast with CKα-radiation low angle x-ray, 62
Scattering measurements, high resolution x-ray, 174
Scattering of superpolished flat mirror samples, x-ray, 187
Schwarzschild microscope for soft x rays, design and assembly of a high resolution, 90
Short wavelength interferometric testing of x-ray optics, 16
Sliced zone plates for x-ray microscopy, status of the sputtered, 103
Soft x-ray optics, Conference Summary—High resolution, 211
Soft x-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, 203
Soft x-ray spectra using x-ray transmission gratings, space and time resolved, 134
Soft x rays, design and assembly of a high resolution Schwarzschild microscope for, 90
Solar astronomy with a 2.4 m normal incidence x-ray telescope at 0.1 arcsec resolution, extra-, 144
Solar corona at high resolution, 149
Space and time resolved soft x-ray spectra using x-ray transmission gratings, 134
Spectra using x-ray transmission gratings, space and time resolved soft x-ray, 134

Sputtered sliced zone plates for x-ray microscopy, status of the, 103
Status of microstructure fabrication, 109
Status report on contact x-ray microscopy, 56
Status of the scanning x-ray microscope, 106
Status of the sputtered sliced zone plates for x-ray microscopy, 103
Status of the zone plate microscope, 100
Superpolished flat mirror samples, x-ray scattering of, 187
Surface characterization, use of phase measuring interferometry for, 9
Surface profiling by electro-optical phase measurements, 42
Synchrotron radiation in the 1 keV region, reflectivity and resolution measurements of metallic multilayers, beryl, and potassium acid phthalate (KAP) with, 169
Synthetic microstructures, x-ray and extreme ultraviolet imaging using layered, 79

Telescope coated by multilayers, calculated performance of a Wolter Type I x-ray, 157
Telescope measured at 0.18 keV, imaging performance of a normal incidence x-ray, 166
Telescope at 0.1 arcsec resolution, extra-solar astronomy with a 2.4 m normal incidence x-ray, 144
Time resolved soft x-ray spectra using x-ray transmission gratings, space and, 134
Transmission gratings, space and time resolved soft x-ray spectra using x-ray, 134
Transmission gratings for use in x-ray astronomy, fabrication of, 128
2.4 m normal incidence x-ray telescope at 0.1 arcsec resolution, extra-solar astronomy with a, 144

Use of phase measuring interferometry for surface characterization, 9

Wolter Type I x-ray telescope coated by multilayers, calculated performance of a, 157

X-ray astronomy, fabrication of transmission gratings for use in, 128
X-ray and extreme ultraviolet imaging using layered synthetic microstructures, 79
X-ray microscope, status of the scanning, 106
X-ray microscopy, status of the sputtered sliced zone plates for, 103
X-ray mirrors, automated cylindrical polishing of grazing incidence, 22
X-ray microscopy, intense plasma source for, 196
X-ray microscopy, status report on contact, 56
X-ray optics, Conference Summary—High resolution soft, 211
X-ray optics, short wavelength interferometric testing of, 16
X-ray scattering of chloroplast with CKα-radiation, low angle, 62
X-ray scattering measurements, high resolution, 174
X-ray scattering of superpolished flat mirror samples, 187
X-ray sources for the Max-Planck-Institut (MPI) long beam (130 m) test facility, soft, 203
X-ray telescope coated by multilayers, calculated performance of a Wolter Type I, 157
X-ray telescope measured at 0.18 keV, imaging performance of a normal incidence, 166
X-ray telescope at 0.1 arcsec resolution, extra-solar astronomy with a 2.4 m normal incidence, 144
X-ray transmission gratings, space and time resolved soft x-ray spectra using, 134
X rays, design and assembly of a high resolution Schwarzschild microscope for soft, 90

Zone plate microscope, status of the, 100
Zone plates, optical performance of apodized, 120
Zone plates for x-ray microscopy, status of the sputtered sliced, 103